



Flymo®

MINIMO-SX 9632506

KEY No.	PART No	DESCRIPTION	QUANTITY	COMMENTS APPLICATION	KEY No.	PART No	DESCRIPTION	QUANTITY	COMMENTS APPLICATION
1	5146736-00/3	SCREW HIGH/LOW	1		45	5106264-01/2	SWITCH BOX COVER	1	
2	5137695-04/4	COVER ASSY	1		46	5146672-00/0	SCREW GKN POLYMATE	2	
3	5116959-01/5	SWITCHBOX RETAINER	1		47	5146616-00/7	CLAMP CABLE	1	
4	5140482-00/0	CABLE CLIP SMALL	1		48	5137509-00/5	CABLE CLAMP BASE	1	
5	5126816-02/3	HANDLE/LABEL ASSY	1		49	5141584-01/0	SLEEVE PROTECTION	1	
6	5146672-00/0	SCREW GKN POLYMATE	4						
7	5147001-50/6	LEAD TERMINAL 12.2MT	1						
8	5140607-00/2	BOLT HANDLE ¼ UNC x 45LG	2						
9	5140266-00/7	WASHER	2						
10	5140690-00/8	KNOB WING WHITE	2						
11	5106278-02/0	GRASSBOX COVER	1	NOT SUPPLIED SEPERATELY					
12	5140863-01/9	CABLE CLIP LARGE	1						
13	5148267-00/7	FILTER	2						
14	5126741-00/7	CLAMP PLASTIC	1						
15	5147001-49/8	LEAD INTERNAL	1						
16	5117082-00/7	HANDLE LOWER	1						
17	5146467-00/5	LABEL WARNING ELECTRIC	2						
18	5126934-00/8	LABEL FLYMO	1						
19	5126829-00/0	HOOD ASSY	1						
20	5147594-00/5	PIN	2						
21	5140423-00/4	PIN RETAINING	2						
22	5140092-00/7	PIVOT PIN	2						
23	5117079-02/9	GRASSBOX ASSY	1						
24	5117078-00/5	SCREEN	1	NOT SUPPLIED SEPERATELY					
25	5106339-02/0	GRASSBOX LID	1	NOT SUPPLIED SEPERATELY					
26	5146469-01/9	WARNING DISC ASSY ORANGE	1						
27	5126808-01/6	MOTOR 240 VOLT	1						
28	5106279-00/2	MOTOR MOUNTING PLATE	1						
29	5146736-00/3	SCREW HIGH/LOW	4						
30	5116967-01/8	IMPELLER	1						
31	5148257-02/4	CUTTER PLASTIC LONG LIFE	2						
33	5137608-00/5	BLADE BOLT C/W PTFE WASHER	1						
34	5148122-01/2	SCREW PLASTITE 10 x 19MM LNG	4						
35	5126764-00/9	INSERT-PLASTIC	1						
36	5136240-01/6	BLADE SPACER	1						
37	5126739-00/1	DISC ASSY	1						
38	5148259-00/4	WASHER ANIT-FRICTION PTFE	1						
39	5126682-00/3	SPANNER/SCRAPER ABS	1						
40	5116963-00/9	SWITCH ACTUATING LEVER	1						
41	5130406-01/9	SEAL CONE	1						
42	5106263-01/4	SWITCH BOX BODY	1						
43	5148253-00/7	COVER LOCK-OFF	1						
44	5148440-00/0	SWITCH WIRE-TRAP	1						

PRODUCT VARIANT

9632506-25 GB

NOTES:

Recommended cable lengths to be used from power source.

LENGTH	RATING	CONDUCTOR SIZE
15M	6A	0.75mm ²
15M – 30M	10A	1.00mm ²
30M – 60M	15A	1.50mm ²

Fitted with 40ft (12.2m) 0.75mm² cable, plug not supplied.

Technical Data

(U.K. Specifications - Overseas variance may occur)

MOTOR:	Electrolux KS4642/100
VOLTAGE:	240 Volt
RATED POWER INPUT:	900 Watt
SWITCH BOX:	On off, with lock off
CUTTING HEIGHT MAX:	29.5mm (1 ³ / ₁₆ "
CUTTING HEIGHT MIN:	10mm (7/ ₁₆ "
DISTANCE WASHERS MAX:	3
DISTANCE WASHERS MIN:	0
WIDTH OF CUT:	25cm (10")

Descriptive features

UP STOP:	Incorporated in Hood
HANDLE FIXING:	Standard handle bolt and wing nut
DISTINGUISHING COLOUR:	Hood – Orange Grass Box – Brown Cover – Orange Upper and lower handles – White